SEQUENCE LISTING

- (1) GENERAL INFORMATION:
 - (i) APPLICANT: THE GENERAL HOSPITAL CORPORATION FRUIT STREET

 BOSTON, MA 02114

 UNITED STATES OF AMERICA

APPLICANT/INVENTOR: de la Monte, Suzanne Wands, Jack R.

- (ii) TITLE OF INVENTION: Transgenic Animals and Cell Lines for Screening Drugs Effective for the Treatment or Prevention of Alzheimer's Disease
- (iii) NUMBER OF SEQUENCES: 14
- (iv) CORRESPONDENCE ADDRESS:
 - (A) ADDRESSEE: Sterne, Kessler, Goldstein & Fox P.L.L.C.
 - (B) STREET: 1100 New York Ave., Suite 600
 - (C) CITY: Washington
 - (D) STATE: DC
 - (E) COUNTRY: USA
 - (F) ZIP: 20005-3934
- (v) COMPUTER READABLE FORM:
 - (A) MEDIUM TYPE: Floppy disk
 - (B) COMPUTER: IBM PC compatible
 - (C) OPERATING SYSTEM: PC-DOS/MS-DOS
 - (D) SOFTWARE: PatentIn Release #1.0, Version #1.30
- (vi) CURRENT APPLICATION DATA:
 - (A) APPLICATION NUMBER: To be assigned
 - (B) FILING DATE: Herewith
 - (C) CLASSIFICATION:
- (vii) PRIOR APPLICATION DATA:
 - (A) APPLICATION NUMBER: US 60/038,908
 - (B) FILING DATE: 26-FEB-1997
- (viii) ATTORNEY/AGENT INFORMATION:
 - (A) NAME: Esmond, Robert W.
 - (B) REGISTRATION NUMBER: 32,893
 - (C) REFERENCE/DOCKET NUMBER: 0609.437PC01
 - (ix) TELECOMMUNICATION INFORMATION:
 - (A) TELEPHONE: 202-371-2600
 - (B) TELEFAX: 202-371-2540
- (2) INFORMATION FOR SEQ ID NO:1:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1442 base pairs

- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: both
- (ii) MOLECULE TYPE: cDNA

(ix) FEATURE:

(A) NAME/KEY: CDS

(B) LOCATION: 15..1139

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:

TTT	TTTT'	TTT	TGAG												TGC Cys	50
			ATC Ile													98
			GCC Ala													146
			CGG Arg													194
			GGT Gly													242
TCC Ser	GTC Val	TCG Ser	GCC Ala 80	TCC Ser	CAA Gln	AGT Ser	GCT Ala	AGA Arg 85	TAC Tyr	AGG Arg	ACT Thr	GGC Gly	CAC His 90	CAT His	GCC Ala	290
			CTG Leu													338
			TGG Trp													386
			TGG Trp													434
			TTA Leu													 482
CAG Gln	TGG Trp	TGT Cys	GAT Asp	CAC His	AGC Ser	TCA Ser	CTG Leu	CAG Gln	CCT Pro	TCA Ser	ACT Thr	CCT Pro	GAG Glu	ATC Ile	AAG Lys	530

			160					165					170			
			GCC Ala													578
			TGG Trp													626
			TCT Ser													674
			CCT Pro													722
			AGC Ser 240													770
			TTA Leu													818
			GGA Gly													866
			GGC Gly													914
			ATG Met													962
			GGC Gly 320													1010
			AGC Ser													1058
			AAT Asn													1106
			TGG Trp								TGAC	CCAC	CT G	CCTC	AGCCT	1159
TCCF	AAGI	GC 1	GGG <i>I</i>	ATTAC	CA GO	CGT	SAGCO	ACC	TCAC	CCCA	GCCG	GCTA	AT T	'TAGA	AAAAT	1219

AAATATGTAG	CAATGGGGGG	TCTTGCTATG	TTGCCCAGGC	TGGTCTCAAA	CTTCTGGCTT	1279
CATGCAATCC	TTCCAAATGA	GCCACAACAC	CCAGCCAGTC	ACATTTTTA	AACAGTTACA	1339
TCTTTATTTT	AGTATACTAG	AAAGTAATAC	AATAAACATG	TCAAACCTGC	AAATTCAGTA	1399
GTAACAGAGT	TCTTTTATAA	CTTTTAAACA	AAGCTTTAGA	GCA		1442

(2) INFORMATION FOR SEQ ID NO:2:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 375 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:2: .

Met Glu Phe Ser Leu Leu Pro Arg Leu Glu Cys Asn Gly Ala Ile 1 5 10 15

Ser Ala His Arg Asn Leu Arg Leu Pro Gly Ser Ser Asp Ser Pro Ala 20 25 30

Ser Ala Ser Pro Val Ala Gly Ile Thr Gly Met Cys Thr His Ala Arg $35 \hspace{1cm} 40 \hspace{1cm} 45$

Leu Ile Leu Tyr Phe Phe Leu Val Glu Met Glu Phe Leu His Val Gly 50 55 60

Gln Ala Gly Leu Glu Leu Pro Thr Ser Asp Asp Pro Ser Val Ser Ala
65 70 75 80

Ser Gln Ser Ala Arg Tyr Arg Thr Gly His His Ala Arg Leu Cys Leu 85 90 95

Ala Asn Phe Cys Gly Arg Asn Arg Val Ser Leu Met Cys Pro Ser Trp
100 105 110

Ser Pro Glu Leu Lys Gln Ser Thr Cys Leu Ser Leu Pro Lys Cys Trp 115 120 125

Asp Tyr Arg Arg Ala Ala Val Pro Gly Leu Phe Ile Leu Phe Phe Leu 130 135 140

Arg His Arg Cys Pro Thr Leu Thr Gln Asp Glu Val Gln Trp Cys Asp 145 150 155 160

His Ser Ser Leu Gln Pro Ser Thr Pro Glu Ile Lys His Pro Pro Ala 165 170 175

Ser Ala Ser Gln Val Ala Gly Thr Lys Asp Met His His Tyr Thr Trp 180 185 190

Leu	Ile	Phe 195	Ile	Phe	Ile	Phe	Asn 200	Phe	Leu	Arg	Gln	Ser 205	Leu	Asn	Se
Val	Thr 210	Gln	Ala	Gly	Val	Gln 215	Trp	Arg	Asn	Leu	Gly 220	Ser	Leu	Gln	Pro
Leu 225	Pro	Pro	Gly	Phe	Lys 230	Leu	Phe	Ser	Суѕ	Pro 235	Ser	Leu	Leu	Ser	Ser 240
Trp	Asp	Tyr	Arg	Arg 245	Pro	Pro	Arg	Leu	Ala 250	Asn	Phe	Phe	Val	Phe 255	Let
Val	Glu	Met	Gly 260	Phe	Thr	Met	Phe	Ala 265	Arg	Leu	Ile	Leu	Ile 270	Ser	Gly
Pro	Cys	Asp 275	Leu	Pro	Ala	Ser	Ala 280	Ser	Gln	Ser	Ala	Gly 285	Ile	Thr	Gly
Val	Ser 290	His	His	Ala	Arg	Leu 295	Ile	Phe	Asn	Phe	C y s 300	Leu	Phe	Glu	Met
Glu 305	Ser	His	Ser	Val	Thr 310	Gln	Ala	Gly	Val	Gln 315	Trp	Pro	Asn	Leu	G1 320
Ser	Leu	Gln	Pro	Leu 325	Pro	Pro	Gly	Leu	Lys 330	Arg	Phe	Ser	Cys	Leu 335	Ser
Leu	Pro	Ser	Ser 340	Trp	Asp	Tyr	Gly	His 345	Leu	Pro	Pro	His	Pro 350	Ala	Asr
Phe	Cys	Ile 355	Phe	Ile	Arg	Gly	Gly 360	Val	Ser	Pro	Tyr	Leu 365	Ser	Gly	Trp
Ser	Gln 370	Thr	Pro	Asp	Leu	Arg 375									
(2)	INFO	RMAT	NOI	FOR	SEQ	ID N	10:3:								
	(i)	(<i>F</i> (E	QUENCA) LE B) TY C) SI	INGTH PE: RAND	I: 13	881 b .eic .SS:	ase acio doub	pair l	:s						

(ii) MOLECULE TYPE: cDNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:

TTTTTTTTT GAGATGAGT TTTCGCTCTT GTTGCCCAGG CTGGAGTGCA ATGGCGCAAT 60

CTCAGCTCAC CGCAACCTCC GCCTCCCGGG TTCAAGCGAT TCTCCTGCCT CAGCCTCCCC 120

AGTAGCTGGG ATTACAGGCA TGTGCACCAC GCTCGGCTAA TTTTGTATTT TTTTTTAGTA 180

GAGATGGAGT	TTAACTCCAT	' GTTGGTCAGG	CTGGTCTCGA	ACTCCCGACC	TCAGATGATC	24
TCCCGTCTCG	GCCTGCCCAA	AGTGCTGAGA	TTACAGGCAT	GAGCCACCAT	GCCCGGCCTC	30
TGCCTGGCTA	ATTTTTGTGG	TAGAAACAGG	GTTTCACTGA	TGTTGCCCAA	GCTGGTCTCC	36
TGAGCTCAAG	CAGTCCACCT	GCCTCAGCCT	CCCAAAGTGC	TGGGATTACA	GGCGTCAGCC	42
GTGCCTGGCC	TTTTTATTTT	ATTTTTTTA	AGACACAGGT	GTACCACTCT	TACCCAGGAT	48
GAAGTGCAGT	GGTGTGATCA	CAGCTCACTG	CAGCCTTCAA	CTCCTGAGAT	CAAGCAATCC	54
TCCTGCCTCA	GCCTCCCAAG	TAGCTGGGAC	CAAAGACATG	CACCACTACA	CCTGGTAATT	60
TTTATTTTA	TTTTTAATTT	TTTGAGACAG	AGTCTCACTC	TGTCACCCAG	GCTGGAGTGC	660
AGTGGCGCAA	TCTTGGCTCA	CTGCAACCTC	TGCCTCCCGG	GTTCAAGTTA	TTCTCCTGCC	720
CCAGCCTCCT	GAGTAGCTGG	GACTACAGGC	GCCCACCACG	CÇTAGCTAAT	TTTTTTGTAT	780
TTTTAGTAGA	GATGGGGTTT	CACCATGTTC	GCCAGGTTGA	TCTTGATCTC	TTGACCTTGT	840
GATCTGCCTG	CCTCGGCCTA	CCCAAAGTGC	TGGGATTACA	GGTCGTGACT	CCACGCCGGC	900
CTATTTTTAA	TTTTTGTTTG	TTTGAAATGG	AATCTCACTC	TGTTACCCAG	GTCGGAGTGC	960
AATGGCAAAT	CTCGGCTACT	CGCAACCTCT	GCCTCCCGGG	TCAAGCGATT	CTCCTGTCTC	1020
AGCCTCCCAA	GCAGCTGGGA	TTACGGGACC	TGCACCACAC	CCCGCTAATT	TTTGTATTTT	1080
CATTAGAGGC	GGGTTTACCA	TATTTGTCAG	GCTGGGTCTC	AAACTCCTGA	CCTCAGGTGA	1140
CCCACCTGCC	TCAGCCTTCC	AAAGTGCTGG	GATTACAGGC	GTGAGCCACC	TCACCCAGCC	1200
GGCTAATTTG	GAATAAAAAA	TATGTAGCAA	TGGGGGTCTG	CTATGTTGCC	CAGGCTGGTC	1260
TCAAACTTCT	GGCTTCAGTC	AATCCTTCCA	AATGAGCCAC	AACACCCAGC	CAGTCACATT	1320
TTTTAAACAG	TTACATCTTT	ATTTTAGTAT	ACTAGAAAGT	AATACAATAA	ACATGTCAAA	1380
С						1381

(2) INFORMATION FOR SEQ ID NO:4:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1418 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: both
 - (D) TOPOLOGY: both
- (ii) MOLECULE TYPE: cDNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:

TTTTTTTTT	GAGATGGAGT	TTTCGCTCTT	GTTGCCCAGG	CTGGAGTGCA	ATGGCGCAAT	60
CTCAGCTCAC	CGCAACCTCC	GCCTCCCGGG	TTCAAGCGAT	TCTCCTGCCT	CAGCCTCCCC	120
AGTAGGCTGG	GATTACAGGC	ATGTGCACCA	CGCTCGGCTA	ATTTTGTATT	TTTTTTTAGT	180
AGAGATGGAG	TTTCTCCATG	TTGGTCAGGC	TGGTCTCGAA	CTCCGACCTC	AGATGATCCT	240
CCCGTCTCGG	CCTCCCAAAG	TGCTAGATAC	AGGACTGAGC	ACCATGCCCG	GCCTCTGCCT	300
GGCTAATTTT	TGTGGTAGAA	ACAGGGTTTC	ACTGATGTGC	CCAAGCTGGT	CTCCTGAGCT	360
CAAGCAGTCC	ACCTGCCTCA	GCCTCCCAAA	GTGCTGGGAT	TACAGGCGTG	CAGCCGTGCC	420
TGGCCTTTTT	ATTTTATTTT	TTTTAAGACA	CAGGTGTCCC	ACTCTTACCC	AGGATGAAGT	480
GCAGTGGTGT	GATCACAGCT	CACTGCAGCC	TTCAACTCTG	AGATCAAGCA	TCCTCCTGCC	540
TCAGCCTCCC	AAAGTAGCTG	GGACCAAAGA	CATGCACCAC	TACACCTGGC	TAATTTTTAT	600
TTTTATTTT	AATTTTTTGA	GACAGAGTCT	CAACTCTGTC	ACCCAGGCTG	GAGTGCAGTG	660
GCGCAATCTT	GGCTCACTGC	AACCTCTGCC	TCCCGGGTTC	AAGTTATTCT	CCTGCCCCAG	720
CCTCCTGAGT	AGCTGGGACT	ACAGGCGCCC	ACCACGCCTA	GCTAATTTTT	TTGTATTTTT	780
AGTAGAGATG	GGGTTTCACC	ATGTTCGCCA	GGTTGATGCT	AGATCTCTTG	ACCTTGTGAT	840
CTGCCTGCCT	CGGCCTCCCA	AAGTGCTGGG	ATTACAGGAC	GTGACGCCCA	CCGCCCGGCC	900
TATTTTTAAT	TTTTGTTTGT	TTGAAATGGA	ATCTCACTCT	GTTACCCAGG	CTGGAGTGCA	960
ATGGCCAAAT	CTCGGCTCAC	TGCAACCTCT	GCCTCCCGGG	CTCAAGCGAT	TCTCCTGTCT	1020
CAGCCTCCCA	AGCAGCTGGG	ATTACGGGCA	CCTGCACCAC	ACCCCGCTAA	TTTTTGTATT	1080
TTCATTAGAG	GCGGGGTTTC	ACCATATTTG	TCAGGCTGGT	CTCAAACTCC	TGACCTCAGG	1140
FGACCCACCT	GCCTCAGCCT	TCCAAAGTGC	TGGGATTACA	GGCGTGACGC	CTCACCCAGC	1200
CGGCTAATTT	AGATAAAAAA	ATATGTAGCA	ATGGGGGGTC	TTGCTATGTT	GCCCAGGCTG	1260
GTCTCAAACT	TCTGGCTTCA	TGCAATCCTT	CCAAATGAGC	CACAACACCC	AGCCAGTCAC	1320
ATTTTTAAAC	AGTTACATCT	TTATTTTAGT	ATACTAGAAA	GTGATACGAT	AACATGGCGG	1380
AACCTGCAAA	TTCGAGTAGT	ACAGAGTCTT	TTATAACT			1418

(2) INFORMATION FOR SEQ ID NO:5:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 22 base pairs

 - (B) TYPE: nucleic acid(C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(ii) MOLECULE TYPE: cDNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:	
TGTCCCACTC TTACCCAGGA TG	22
(2) INFORMATION FOR SEQ ID NO:6:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 24 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	
(ii) MOLECULE TYPE: cDNA	
·	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:	
AAGCAGGCAG ATCACAAGGT CCAG	24
(2) INFORMATION FOR SEQ ID NO:7:	
(i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 20 base pairs(B) TYPE: nucleic acid(C) STRANDEDNESS: single(D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: cDNA	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:7:	
AATGGATGAC GATATCGCTG	20
(2) INFORMATION FOR SEQ ID NO:8:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 19 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:	
ATGAGGTAGT CTGTCAGGT	19
(2) INFORMATION FOR SEQ ID NO:9:	
(i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 30 base pairs(B) TYPE: nucleic acid(C) STRANDEDNESS: single(D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: cDNA	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:9:	
TTCATCCTGG GTAAGAGTGG GACACCTGTG	30
(2) INFORMATION FOR SEQ ID NO:10:	
(i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 26 base pairs(B) TYPE: nucleic acid(C) STRANDEDNESS: single(D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: cDNA	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:10:	
TGGTGCATGT CTTTGGTCCC AGCTAC	26
(2) INFORMATION FOR SEQ ID NO:11:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 30 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	
(ii) MOLECULE TYPE: cDNA	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:11:	
ATCAACCTGG CGAACATGGT GAACCCCATC	30
(2) INFORMATION FOR SEQ ID NO:12:	

(i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 14 base pairs(B) TYPE: nucleic acid(C) STRANDEDNESS: single(D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: cDNA	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:12:	
CACTGCACTT NCCA	14
(2) INFORMATION FOR SEQ ID NO:13:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 14 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	
(ii) MOLECULE TYPE: cDNA	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:13:	
CCAGGTGTAG NCCA	14
(2) INFORMATION FOR SEQ ID NO:14:	
(i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 14 base pairs(B) TYPE: nucleic acid(C) STRANDEDNESS: single(D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: cDNA	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:14:	
CAAGGTCCAG NCCA	14

14

- (1) GENERAL INFORMATION:
 - (i) APPLICANT: de la Monte, Suzanne Wands, Jack R.
 - (ii) TITLE OF INVENTION: Transgenic Animals and Cell Lines for Screening Drugs Effective for the Treatment or Prevention of Alzheimer's Disease
 - (iii) NUMBER OF SEQUENCES: 14
 - (iv) CORRESPONDENCE ADDRESS:
 - (A) ADDRESSEE: Sterne, Kessler, Goldstein & Fox, P.L.L.C.
 - (B) STREET: 1100 New York Ave., Suite 600
 - (C) CITY: Washington
 - (D) STATE: DC
 - (E) COUNTRY: USA
 - (F) ZIP: 20005-3934
 - (v) COMPUTER READABLE FORM:
 - (A) MEDIUM TYPE: Floppy disk
 - (B) COMPUTER: IBM PC compatible
 - (C) OPERATING SYSTEM: PC-DOS/MS-DOS
 - (D) SOFTWARE: PatentIn Release #1.0, Version #1.30
 - (vi) CURRENT APPLICATION DATA:
 - (A) APPLICATION NUMBER:
 - (B) FILING DATE:
 - (C) CLASSIFICATION:
 - (viii) ATTORNEY/AGENT INFORMATION:
 - (A) NAME: Esmond, Robert W.
 - (B) REGISTRATION NUMBER: 32,893
 - (C) REFERENCE/DOCKET NUMBER: 0609.4370000
 - (ix) TELECOMMUNICATION INFORMATION:
 - (A) TELEPHONE: 202-371-2600
 - (B) TELEFAX: 202-371-2540
- (2) INFORMATION FOR SEQ ID NO:1:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1442 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: double
 - (D) TOPOLOGY: both
 - (ii) MOLECULE TYPE: cDNA
 - (ix) FEATURE:
 - (A) NAME/KEY: CDS
 - (B) LOCATION: 15..1139
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:

TTTTTTTTT TGAG ATG GAG TTT TCG CTC TTG TTG CCC AGG CTG GAG TGC Met Glu Phe Ser Leu Leu Leu Pro Arg Leu Glu Cys 1

		GCA Ala 15														98
		CCT Pro														146
ACC Thr 45	CAC His	GCT Ala	CGG Arg	CTA Leu	ATT Ile 50	TTG Leu	TAT Tyr	TTT Phe	TTT Phe	TTA Leu 55	GTA Val	GAG Glu	ATG Met	GAG Glu	TTT Phe 60	194
		GTT Val														242
		TCG Ser														290
CGG Arg	CTC Leu	TGC Cys 95	CTG Leu	GCT Ala	AAT Asn	TTT Phe	TGT Cys 100	GGT Gly	AGA Arg	AAC Asn	AGG Arg	GTT Val 105	TCA Ser	CTG Leu	ATG Met	338
		AGC Ser														386
		TGC Cys														434
		TTT Phe														482
		TGT Cys														530
		CCT Pro 175														578
CAC His	TAC Tyr 190	ACC Thr	TGG Trp	CTA Leu	ATT Ile	TTT Phe 195	ATT Ile	TTT Phe	ATT Ile	TTT Phe	AAT Asn 200	TTT Phe	TTG Leu	AGA Arg	CAG Gln	626
AGT Ser 205	CTC Leu	AAC Asn	TCT Ser	GTC Val	ACC Thr 210	CAG Gln	GCT Ala	GGA Gly	GTG Val	CAG Gln 215	TGG Trp	CGC Arg	AAT Asn	CTT Leu	GGC Gly 220	674
TCA Ser	CTG Leu	CAA Gln	CCT Pro	CTG Leu 225	CCT Pro	CCC Pro	GGG Gly	TTC Phe	AAG Lys 230	TTA Leu	TTC Phe	TCC Ser	TGC Cys	CCC Pro 235	AGC Ser	722
		AGT Ser														770
TTT Phe	GTA Val	TTT Phe 255	TTA Leu	GTA Val	GAG Glu	ATG Met	GGG Gly 260	TTC Phe	ACC Thr	ATG Met	TTC Phe	GCC Ala 265	AGG Arg	TTG Leu	ATC Ile	818
TTG	ATC	TCT	GGA	CCT	TGT	GAT	CTG	CCT	GCC	TCG	GCC	TCC	CAA	AGT	GCT	866

Leu	Ile 270	Ser	Gly	Pro	Cys	Asp 275	Leu	Pro	Ala	Ser	Ala 280	Ser	Gln	Ser	Ala	
GGG Gly 285	ATT Ile	ACA Thr	GGC Gly	GTG Val	AGC Ser 290	CAC His	CAC His	GCC Ala	CGG Arg	CTT Leu 295	ATT Ile	TTT Phe	AAT Asn	TTT Phe	TGT Cys 300	914
TTG Leu	TTT Phe	GAA Glu	ATG Met	GAA Glu 305	TCT Ser	CAC His	TCT Ser	GTT Val	ACC Thr 310	CAG Gln	GCT Ala	GGA Gly	GTG Val	CAA Gln 315	TGG Trp	962
CCA Pro	AAT Asn	CTC Leu	GGC Gly 320	TCA Ser	CTG Leu	CAA Gln	CCT Pro	CTG Leu 325	CCT Pro	CCC Pro	GGG Gly	CTC Leu	AAG Lys 330	CGA Arg	TTC Phe	1010
TCC Ser	TGT Cys	CTC Leu 335	AGC Ser	CTC Leu	CCA Pro	AGC Ser	AGC Ser 340	TGG Trp	GAT Asp	TAC Tyr	GGG Gly	CAC His 345	CTG Leu	CCA Pro	CCA Pro	1058
CAC His	CCC Pro 350	GCT Ala	AAT Asn	TTT Phe	TGT Cys	ATT Ile 355	TTC Phe	ATT Ile	AGA Arg	GGC Gly	GGG Gly 360	GTT Val	TCA Ser	CCA Pro	TAT Tyr	1106
TTG Leu 365	TCA Ser	GGC Gly	TGG Trp	TCT Ser	CAA Gln 370	ACT Thr	CCT Pro	GAC Asp	CTC Leu	AGG Arg 375	TGAC	CCAC	CT G	CCTC	CAGCCT	1159
TCCA	AAGI	GC I	'GGGA	TTAC	A GG	CGTG	AGCC	ACC	TCAC	CCA	GCCG	GCTA	AT I	TAGA	AAAAT	1219
TAAA	'ATGT	'AG C	:AATG	GGGG	G TC	TTGC	TATG	TTG	CCCA	.GGC	TGGI	CTCA	AA C	TTCT	GGCTT	1279
CATG	CAAT	CC I	TCCA	AATG	A GC	CACA	ACAC	CCA	.GCCA	GTC	ACAT	TTTT	TA A	ACAG	TTACA	1339
TCTT	TTATT	TT A	GTAT	'ACTA	G AA	AGTA	ATAC	LAA :	'AAAC	ATG	TCAA	ACCT	GC A	LAATT	'CAGTA	1399
GTAA	.CAGA	GT T	CTTT	'TATA	A CT	TTTA	AACA	AAG	CTTT	'AGA	GCA					1442

(2) INFORMATION FOR SEQ ID NO:2:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 375 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:

Met Glu Phe Ser Leu Leu Leu Pro Arg Leu Glu Cys Asn Gly Ala Ile 1 5 10 15

Ser Ala His Arg Asn Leu Arg Leu Pro Gly Ser Ser Asp Ser Pro Ala

Ser Ala Ser Pro Val Ala Gly Ile Thr Gly Met Cys Thr His Ala Arg 35 40 45

Leu Ile Leu Tyr Phe Phe Leu Val Glu Met Glu Phe Leu His Val Gly 50 55 60

Gln Ala Gly Leu Glu Leu Pro Thr Ser Asp Asp Pro Ser Val Ser Ala 65 70 75 80

Ser Gln Ser Ala Arg Tyr Arg Thr Gly His His Ala Arg Leu Cys Leu

85 90 95

Ala Asn Phe Cys Gly Arg Asn Arg Val Ser Leu Met Cys Pro Ser Trp 105 Ser Pro Glu Leu Lys Gln Ser Thr Cys Leu Ser Leu Pro Lys Cys Trp Asp Tyr Arg Arg Ala Ala Val Pro Gly Leu Phe Ile Leu Phe Phe Leu Arg His Arg Cys Pro Thr Leu Thr Gln Asp Glu Val Gln Trp Cys Asp 150 His Ser Ser Leu Gln Pro Ser Thr Pro Glu Ile Lys His Pro Pro Ala Ser Ala Ser Gln Val Ala Gly Thr Lys Asp Met His His Tyr Thr Trp 185 Leu Ile Phe Ile Phe Ile Phe Asn Phe Leu Arg Gln Ser Leu Asn Ser 200 Val Thr Gln Ala Gly Val Gln Trp Arg Asn Leu Gly Ser Leu Gln Pro Leu Pro Pro Gly Phe Lys Leu Phe Ser Cys Pro Ser Leu Leu Ser Ser Trp Asp Tyr Arg Arg Pro Pro Arg Leu Ala Asn Phe Phe Val Phe Leu 245 250 Val Glu Met Gly Phe Thr Met Phe Ala Arg Leu Ile Leu Ile Ser Gly Pro Cys Asp Leu Pro Ala Ser Ala Ser Gln Ser Ala Gly Ile Thr Gly 280 Val Ser His His Ala Arg Leu Ile Phe Asn Phe Cys Leu Phe Glu Met 295 Glu Ser His Ser Val Thr Gln Ala Gly Val Gln Trp Pro Asn Leu Gly Ser Leu Gln Pro Leu Pro Pro Gly Leu Lys Arg Phe Ser Cys Leu Ser 330 Leu Pro Ser Ser Trp Asp Tyr Gly His Leu Pro Pro His Pro Ala Asn

Phe Cys Ile Phe Ile Arg Gly Gly Val Ser Pro Tyr Leu Ser Gly Trp 355 360 365

Ser Gln Thr Pro Asp Leu Arg

- (2) INFORMATION FOR SEQ ID NO:3:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1381 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: double
 - (D) TOPOLOGY: both
 - (ii) MOLECULE TYPE: cDNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:

` '	~					
TTTTTTTTT	GAGATGGAGT	TTTCGCTCTT	GTTGCCCAGG	CTGGAGTGCA	ATGGCGCAAT	60
CTCAGCTCAC	CGCAACCTCC	GCCTCCCGGG	TTCAAGCGAT	TCTCCTGCCT	CAGCCTCCCC	120
AGTAGCTGGG	ATTACAGGCA	TGTGCACCAC	GCTCGGCTAA	TTTTGTATTT	TTTTTTAGTA	180
GAGATGGAGT	TTAACTCCAT	GTTGGTCAGG	CTGGTCTCGA	ACTCCCGACC	TCAGATGATC	240
TCCCGTCTCG	GCCTGCCCAA	AGTGCTGAGA	TTACAGGCAT	GAGCCACCAT	GCCCGGCCTC	300
TGCCTGGCTA	ATTTTTGTGG	TAGAAACAGG	GTTTCACTGA	TGTTGCCCAA	GCTGGTCTCC	360
TGAGCTCAAG	CAGTCCACCT	GCCTCAGCCT	CCCAAAGTGC	TGGGATTACA	GGCGTCAGCC	420
GTGCCTGGCC	TTTTTATTT	ATTTTTTTTA	AGACACAGGT	GTACCACTCT	TACCCAGGAT	480
GAAGTGCAGT	GGTGTGATCA	CAGCTCACTG	CAGCCTTCAA	CTCCTGAGAT	CAAGCAATCC	540
TCCTGCCTCA	GCCTCCCAAG	TAGCTGGGAC	CAAAGACATG	CACCACTACA	CCTGGTAATT	600
TTTATTTTTA	$\mathbf{T}\mathbf{T}\mathbf{T}\mathbf{T}\mathbf{A}\mathbf{A}\mathbf{T}\mathbf{T}\mathbf{T}$	TTTGAGACAG	AGTCTCACTC	TGTCACCCAG	GCTGGAGTGC	660
AGTGGCGCAA	TCTTGGCTCA	CTGCAACCTC	TGCCTCCCGG	GTTCAAGTTA	TTCTCCTGCC	720
CCAGCCTCCT	GAGTAGCTGG	GACTACAGGC	GCCCACCACG	CCTAGCTAAT	TTTTTTGTAT	780
TTTTAGTAGA	GATGGGGTTT	CACCATGTTC	GCCAGGTTGA	TCTTGATCTC	TTGACCTTGT	840
GATCTGCCTG	CCTCGGCCTA	CCCAAAGTGC	TGGGATTACA	GGTCGTGACT	CCACGCCGGC	900
CTATTTTTAA	TTTTTGTTTG	TTTGAAATGG	AATCTCACTC	TGTTACCCAG	GTCGGAGTGC	960
AATGGCAAAT	CTCGGCTACT	CGCAACCTCT	GCCTCCCGGG	TCAAGCGATT	CTCCTGTCTC	1020
AGCCTCCCAA	GCAGCTGGGA	TTACGGGACC	TGCACCACAC	CCCGCTAATT	TTTGTATTTT	1080
CATTAGAGGC	GGGTTTACCA	TATTTGTCAG	GCTGGGTCTC	AAACTCCTGA	CCTCAGGTGA	1140
CCCACCTGCC	TCAGCCTTCC	AAAGTGCTGG	GATTACAGGC	GTGAGCCACC	TCACCCAGCC	1200
GGCTAATTTG	GAATAAAAA	TATGTAGCAA	TGGGGGTCTG	CTATGTTGCC	CAGGCTGGTC	1260
TCAAACTTCT	GGCTTCAGTC	AATCCTTCCA	AATGAGCCAC	AACACCCAGC	CAGTCACATT	1320
TTTTAAACAG	TTACATCTTT	ATTTTAGTAT	ACTAGAAAGT	AATACAATAA	ACATGTCAAA	1380
С						1381

(2) INFORMATION FOR SEQ ID NO:4:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1418 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: both

 - (D) TOPOLOGY: both
- (ii) MOLECULE TYPE: cDNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:4: TTTTTTTTT GAGATGGAGT TTTCGCTCTT GTTGCCCAGG CTGGAGTGCA ATGGCGCAAT 60 CTCAGCTCAC CGCAACCTCC GCCTCCCGGG TTCAAGCGAT TCTCCTGCCT CAGCCTCCCC 120 AGTAGGCTGG GATTACAGGC ATGTGCACCA CGCTCGGCTA ATTTTGTATT TTTTTTAGT 180 AGAGATGGAG TTTCTCCATG TTGGTCAGGC TGGTCTCGAA CTCCGACCTC AGATGATCCT 240 CCCGTCTCGG CCTCCCAAAG TGCTAGATAC AGGACTGAGC ACCATGCCCG GCCTCTGCCT 300 GGCTAATTTT TGTGGTAGAA ACAGGGTTTC ACTGATGTGC CCAAGCTGGT CTCCTGAGCT 360 CAAGCAGTCC ACCTGCCTCA GCCTCCCAAA GTGCTGGGAT TACAGGCGTG CAGCCGTGCC 420 TGGCCTTTTT ATTTATTTT TTTTAAGACA CAGGTGTCCC ACTCTTACCC AGGATGAAGT 480 GCAGTGGTGT GATCACAGCT CACTGCAGCC TTCAACTCTG AGATCAAGCA TCCTCCTGCC 540 TCAGCCTCCC AAAGTAGCTG GGACCAAAGA CATGCACCAC TACACCTGGC TAATTTTTAT 600 TTTTATTTT AATTTTTGA GACAGAGTCT CAACTCTGTC ACCCAGGCTG GAGTGCAGTG 660 GCGCAATCTT GGCTCACTGC AACCTCTGCC TCCCGGGTTC AAGTTATTCT CCTGCCCCAG 720 CCTCCTGAGT AGCTGGGACT ACAGGCGCCC ACCACGCCTA GCTAATTTTT TTGTATTTTT 780 AGTAGAGATG GGGTTTCACC ATGTTCGCCA GGTTGATGCT AGATCTCTTG ACCTTGTGAT 840 CTGCCTGCCT CGGCCTCCCA AAGTGCTGGG ATTACAGGAC GTGACGCCCA CCGCCCGGCC 900 TATTTTAAT TTTTGTTTGT TTGAAATGGA ATCTCACTCT GTTACCCAGG CTGGAGTGCA 960 ATGGCCAAAT CTCGGCTCAC TGCAACCTCT GCCTCCCGGG CTCAAGCGAT TCTCCTGTCT 1020 CAGCCTCCA AGCAGCTGGG ATTACGGGCA CCTGCACCAC ACCCCGCTAA TTTTTGTATT 1080 TTCATTAGAG GCGGGGTTTC ACCATATTTG TCAGGCTGGT CTCAAACTCC TGACCTCAGG 1140 TGACCCACCT GCCTCAGCCT TCCAAAGTGC TGGGATTACA GGCGTGACGC CTCACCCAGC 1200 CGGCTAATTT AGATAAAAA ATATGTAGCA ATGGGGGGTC TTGCTATGTT GCCCAGGCTG 1260

GTCTCAAACT TCTGGCTTCA TGCAATCCTT CCAAATGAGC CACAACACCC AGCCAGTCAC

ATTTTTAAAC AGTTACATCT TTATTTTAGT ATACTAGAAA GTGATACGAT AACATGGCGG

1320

1380

1418

(2) INFORMATION FOR SEQ ID NO:5:

(i) SEQUENCE CHARACTERISTICS:

AACCTGCAAA TTCGAGTAGT ACAGAGTCTT TTATAACT

- (A) LENGTH: 22 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:

(2) INFORMATION FOR SEQ ID NO:6:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 24 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	
(ii) MOLECULE TYPE: cDNA	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:	
AAGCAGGCAG ATCACAAGGT CCAG	24
(2) INFORMATION FOR SEQ ID NO:7:	
(i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 20 base pairs(B) TYPE: nucleic acid(C) STRANDEDNESS: single(D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: cDNA	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:7: AATGGATGAC GATATCGCTG (2) INFORMATION FOR SEQ ID NO:8:	20
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 19 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	
(ii) MOLECULE TYPE: cDNA	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:	19
	19
ATGAGGTAGT CTGTCAGGT	19

..... the magnetic of the second distribution of the confidence and

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:9:	
TTCATCCTGG GTAAGAGTGG GACACCTGTG	30
(2) INFORMATION FOR SEQ ID NO:10:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 26 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	
(ii) MOLECULE TYPE: cDNA	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:10:	
TGGTGCATGT CTTTGGTCCC AGCTAC	26
(2) INFORMATION FOR SEQ ID NO:11:	
(i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 30 base pairs(B) TYPE: nucleic acid(C) STRANDEDNESS: single(D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: cDNA	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:11:	
ATCAACCTGG CGAACATGGT GAACCCCATC	30
(2) INFORMATION FOR SEQ ID NO:12:	
(i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 14 base pairs(B) TYPE: nucleic acid(C) STRANDEDNESS: single(D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: cDNA	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:12:	
CACTGCACTT NCCA	14
(2) INFORMATION FOR SEQ ID NO:13:	
(i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 14 base pairs(B) TYPE: nucleic acid(C) STRANDEDNESS: single(D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: CDNA	

(xi	.) SEQUENCE DESCRIPTION: SEQ ID NO:13:	
CCAGGTG	FTAG NCCA	14
(2) INF	FORMATION FOR SEQ ID NO:14:	
(i	.) SEQUENCE CHARACTERISTICS: (A) LENGTH: 14 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
(ii	.) MOLECULE TYPE: cDNA	
() GEOLIENGE DECORTOMICAL GEO. ID. NO. 14.	
(X.1	.) SEQUENCE DESCRIPTION: SEQ ID NO:14:	
G3.3.66m6		
CAAGGTC	CCAG NCCA	14
CAAGGTC		14